

SHUTTERS SPECIFICATION SHEET

CUSTOMWEST THE SHUTTER SPECIALIST

### **RANGES**

#### **SEATTLE**

Full Engineered Wood shutter

### **GEORGIA**

Engineered Wood frames and panel with ABS louvres

#### **BOSTON**

Engineered Wood Frames with wood panels

### **MONTANA**

Wood panels and frames

### **HOLLYWOOD**

ABS / Water Resistant shutter

### **MOUNTING TYPES**

#### **FULL HEIGHT**

A shutter panel that extends across the full height of the window opening.

### **TIER ON TIER**

Two separate shutter panels that sit on top of each other and open independently – similar to a stable door.

### TIER ON TIER WITH HORIZONTAL T POST

Two separate shutter panels that sit on top of horizontal T-post that sits between both tiers. Both upper & lower panels open independently – similar to a stable door. Please note specification limit for horizontal T-post is 1219mm and must be supported by a vertical T-post beneath after this width to stay within warranty.

#### CAFÉ

A shutter panel that typically only covers ½ to ¾ of the window opening with a gap between the top of the recess and the shutter below.

#### **BI-FOLD TRACK**

A set of shutter panels mounted onto tracked runners which fold in pairs to one or both sides of the recess (see separate spec sheet re track).

### **BYPASS TRACK**

A set of shutter panels mounted onto track runners which bypass each other – similar to wardrobe doors (see separate spec sheet re track).

### L FRAMED TRACK

A set of shutter panels mounted onto track runners within an L frame. Note – only a maximum of LLRR can be provided without bottom track (see separate spec sheet re track).

### STANDARD SPECIAL SHAPES

A non-rectangular shape that sizes can be determined by maths (IE triangles, perfect arches or circles, hexagons etc). See shaped section for which shapes are available in which ranges.

### NON STANDARD SPECIAL SHAPES

A non-rectangular shape that does not follow any formulas regarding its measurements (i.e. uneven arches). Templates must be provided to the factory to show the shape of the curve required. NB – this mounting type option is only available in Montana range.



## **LOUVRE SIZE**

47MM ELLIPTICAL LOUVRE	47.6mm
63MM ELLIPTICAL LOUVRE	63.5mm
76MM ELLIPTICAL LOUVRE	76.2mm
89MM ELLIPTICAL LOUVRE	88.9mm
114MM ELLIPTICAL LOUVRE	114.3mm

- 114mm louvre is not available in Boston range
- 47mm louvre is not available with easy tilt
- Solid Panels (raised or based) are only available in Montana range

## **TILT ROD TYPES**

All tilt rod types listed below are available in all shutter ranges.

### **CENTRAL TILT ROD**

A tilt bar mounted in the centre of louvres which operate all louvres within a section at once.

#### OFFSET TILT ROD

A tilt bar mounted to one side of louvres which operate all louvres within a section at once. You can specify which side of the panel you would prefer the tilt rod to be on.

#### **EASY TILT**

A hidden tilt mechanism that is concealed within the side of the panel. Please note that above 1370mm – the easy tilt must be split to stay within warranty.

# **PANEL LIMITATIONS**

	SEATTLE									
	HINGED SHUTTER SPECIFICATION									
		Wic	dth		He	ight				
Louvre size	Min.		Max		Tic	ıgır.				
		Single Hung	Bi-fold	Multi-fold	Min.	Max*				
47mm		600mm								
63mm		750mm								
76mm	152mm		600mm	N/A	250mm	3000mm				
89mm										
114mm										
		TRACKED	SHUTTER SPEC	FICATION						
			Width			Height				
Louvre size	Min.		М	ax		Height				
	IVIIII.	Top & Bot	tom Track	Top Tro	ick only	Max*				
47mm										
63mm										
76mm	152mm	600mm		N	/A	3000mm				
89mm										
114mm										

GEORGIA									
HINGED SHUTTER SPECIFICATION									
		Wid	dth		Hei	ight			
Louvre size	Min.		Max		1101	giit			
		Single Hung	Bi-fold	Multi-fold	Min.	Max*			
47mm		610mm							
63mm						3000mm			
76mm	152mm	915mm	610mm	N/A	250mm				
89mm									
114mm									
		TRACKED	SHUTTER SPECI	FICATION					
			Width			Height			
Louvre size	Min.		М	ax		Height			
	171111.	Top & Bot	tom Track	Top Tra	ick only	Max*			
47mm									
63mm									
76mm	152mm	610	mm	N/A on s 660mm on Fra	standard med Track only	3000mm			
89mm				oooniin on ridined flack offiy					
114mm									

# **PANEL LIMITATIONS**

	BOSTON									
HINGED SHUTTER SPECIFICATION										
		Wid	dth		Hei	ght				
Louvre size	Min.		Max		1101	9110				
	.,,,,,,	Single Hung	Bi-fold	Multi-fold	Min.	Max*				
47mm		750mm								
63mm		890mm				3000mm				
76mm	152mm		660mm 550mm	550mm	550mm 250mm					
89mm										
114mm										
		TRACKED	SHUTTER SPECI	FICATION						
			Width			Height				
Louvre size	Min.		М	ax		rieignt				
	IVIIII.	Top & Bot	tom Track	Top Tro	ıck only	Max*				
47mm										
63mm					ımm					
76mm	152mm	660	mm	660	mm*	3000mm				
89mm				*Framed	Track only					
114mm										

MONTANA										
HINGED SHUTTER SPECIFICATION										
		Wid				1.				
Louvre size	Min.		Max		неі	ght				
	IVIIII.	Single Hung	Bi-fold	Multi-fold	Min.	Max*				
47mm		750mm								
63mm		890mm	660mm			3000mm				
76mm	152mm	89011111		550mm	mm 250mm					
89mm		10/7								
114mm		1047mm								
		TRACKED	SHUTTER SPEC	FICATION						
			Width			Height				
Louvre size	Min.		М	ax		Height				
	IVIIII.	Top & Bot	tom Track	Top Tro	ıck only	Max*				
47mm										
63mm					mm					
76mm	152mm	660mm		660	mm*	3000mm				
89mm				*Framed <sup>-</sup>	Track only					
114mm										

NB1 – Please note minimum panel for solid panels is 174mm for 41.3mm stile NB2 – Solid shutters require mid rail at 1219mm

# **PANEL LIMITATIONS**

		Н	OLLYWOO	D						
	HINGED SHUTTER SPECIFICATION									
		Wic	dth		На	Height				
Louvre size	Min.		Max		116	igiit				
	141111.	Single Hung	Bi-fold	Multi-fold	Min.	Max*				
47mm		550mm	550mm							
63mm		800mm								
76mm	152mm		640	N/A	250mm	3000mm				
89mm		890mm	610mm							
114mm										
		TRACKED	SHUTTER SPEC	IFICATION		T.				
			Width			Hoight				
Louvre size	Min.		N	lax		Height				
	IVIIII.	Top & Bot	tom Track	Top Tra	ick only	Max*				
47mm										
63mm										
76mm	152mm	660mm		N	/A	3000mm				
89mm										
114mm										

Please note that specification limit for horizontal T-post is 1219mm and must be supported by a vertical T-post beneath after this width to stay within warranty.



# **COLOURS CHECK SHEET**

		SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
	001 Pure White	✓	✓	✓	✓	✓
	002 Extra white	✓	✓	✓	✓	✓
	003 Silk White	✓	✓	✓	✓	✓
	004 Vellum	-	✓	✓	✓	✓
	006 Pearl	✓	✓	✓	✓	✓
	007 Ivory Lace	-	✓	✓	✓	✓
PAINTED COLOURS	012 Crisp Linen	-	✓	✓	✓	✓
0	013 Bisque	-	✓	✓	✓	✓
6	019 String	-	✓	✓	✓	<b>√</b>
Ŭ	032 Sea Mist	✓	✓	✓	✓	✓
品	042 Hall Gray	-	✓	✓	✓	<b>√</b>
	045 Elephants Air	-	✓	✓	✓	✓
₹	046 Ice	-	✓	✓	✓	✓
	049 Stone Grey	-	✓	✓	✓	✓
	053 Clay	-	✓	✓	✓	✓
	063 Decorators White	✓	✓	✓	✓	✓
	076 Aura White	-	✓	✓	✓	✓
	080 Taupe Grey	-	✓	✓	✓	✓
	Custom Colour	-	✓	✓	✓	✓
	108 Rustic Grey	-	-	-	✓	-
	109 Weathered Teak	-	-	-	✓	-
	110 Limed White	-	-	-	✓	-
	114 Taupe	-	-	-	✓	-
	202 Golden Oak	-	-	-	✓	-
	204 Oak Mantel	-	-	-	✓	-
	205 Medium Oak	-	-	-	✓	-
	211 Medium Cherry	-	-	-	✓	-
IRS	219 Mahogany	-	-	-	✓	-
8	221 Black Walnut	-	-	-	✓	-
6	227 Red Oak	-	-	-	✓	-
STAINED COLOUR	229 Rich Walnut	-	-	-	✓	-
	230 Old Teak	-	-	-	✓	-
4	232 Red Mahogany	-	-	-	✓	-
ST/	233 Dark Mahogany	-	-	-	✓	-
	237 Wenge	-	-	-	✓	-
	862 French Oak	-	-	-	✓	-
	1003 Osmo Matt White	-	-	-	✓	-
	1107 Osmo Antique Oak	-	-	-	✓	-
	1114 Weathered Grey	-	-	-	✓	-
	1203 Osmo Rustic Black	-	-	-	✓	-
	1301 Osmo Cherry	-	-	-	✓	-
	1501 Osmo Oak	-	-	-	✓	-

### **HARDWARE**

	SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
White	<b>√</b>	<b>√</b>	<b>√</b>	✓	-
Pure White	✓	<b>√</b>	✓	✓	-
Pearl	✓	<b>√</b>	✓	✓	-
Bisque	✓	✓	✓	✓	-
Black	✓	✓	✓	✓	-
Sea Mist	✓	✓	✓	✓	-
Crisp Linen	✓	✓	✓	✓	-
Brown Grey	✓	✓	✓	✓	-
Stainless Steel	✓	✓	✓	✓	✓
Bright Brass	✓	✓	✓	✓	-
Antique Brass	✓	✓	✓	✓	-
Nickel	✓	✓	✓	✓	-
Brushed Nickel	✓	✓	✓	✓	-
Taupe Grey	✓	✓	✓	✓	-
String	✓	✓	✓	✓	-
Stone Grey	✓	✓	✓	✓	-

Concealed hinge is available with Georgia, Boston & Montana ranges and incurs a 10% surcharge. This hinge type is only available with the following frames:

	SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
Camber Deco Frame 50mm	-	✓	✓	✓	-
Serrate Z Frame 50mm	-	✓	✓	✓	-
Bullnose Z Frame 50mm	-	✓	✓	✓	-
Bullnose Z Frame 50mm w/ 6mm Light Block	-	-	-	✓	-
Deep Bullnose Z Frame 38mm	-	✓	✓	✓	-
Beaded L Frame 46mm	-	✓	✓	✓	-
Beaded L Frame 60mm	-	✓	✓	✓	-
Beaded L Frame 76mm	-	✓	✓	✓	-
Deep Plain L Frame 60mm	-	✓	✓	✓	-
Chamfer T-post	-	✓	✓	✓	-
Chamfer T-post Deco	-	✓	✓	✓	-
Corner Post	-	✓	✓	✓	-
Corner Post Deco	-	✓	✓	✓	-
Bay Post	-	✓	✓	✓	-
Bay Post Deco	-	✓	✓	✓	-

Please note panel configuration is limited to single panels when using concealed hinge. Multi fold configurations are not available even when warranty waived.

## **MOUNTING TYPE AVAILABILITY**

	SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
Full Height	<b>✓</b>	<b>√</b>	<b>✓</b>	✓	<b>✓</b>
Tier on Tier	<b>√</b> *	<b>√</b> *	✓	<b>√</b>	✓
Tier on Tier w/ Horizontal T Post	<b>√</b> *	<b>√</b> *	✓	✓	-
Café	<b>√</b>	✓	✓	<b>√</b>	<b>✓</b>
Shutter & Shade	_*	✓	✓	✓	-
Bi-fold Track Inside Mount (w/ Bottom Track)	<b>√</b>	<b>√</b>	✓	✓	<b>✓</b>
Bi-fold Track Inside Mount (Top Track Only)	-	-	✓	✓	-
Bi-fold Track Outside Mount (w/ Bottom Track)	✓	✓	✓	✓	-
Bi-fold Track Outside Mount (Top Track Only)	-	-	<b>√</b>	<b>√</b>	-
Bi-fold Track Semi Inside Mount (w/ Bottom Track)	<b>✓</b>	✓	<b>√</b>	<b>√</b>	<b>✓</b>
Bi-fold Track Semi Inside Mount (Top Track Only)	-	-	✓	<b>√</b>	-
Bypass Track Inside Mount (w/ Bottom Track)	-	✓	✓	<b>√</b>	<b>✓</b>
Bypass Track Inside Mount (Top Track Only)	-	-	✓	<b>√</b>	-
Bypass Track Semi Inside Mount (w/ Bottom Track)	-	✓	✓	<b>√</b>	<b>✓</b>
Bypass Track Semi Inside Mount (Top Track Only)	-	-	✓	✓	-
L Framed Track**	<b>√</b>	✓	✓	✓	-
Standard Special Shapes	-	✓	✓	✓	<b>√</b>
Non Standard Special Shapes	-	-	-	✓	-
French Cut Out	-	-	-	✓	-

<sup>\*</sup>Tier on Tier is limited to 2 panels within warranty in Seattle & Georgia

<sup>\*\*</sup>A maximum of 2 panels per side in any range can be provided without bottom track

<sup>\*\*\*</sup>Bottom Track is mandatory for a panel fold of 4+ panels per side

<sup>\*\*\*\*</sup> Shutter & Shade is only available in the Seattle range in 001 Pure White and 003 Silk White colourways.


# **FRAMES**


		SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
	Vintage L Frame 32mm	-	-	-	-	✓
	Vintage L Frame 46mm	✓	✓	✓	✓	✓
	Vintage L Frame 60mm	✓	✓	<b>√</b>	✓	<b>√</b>
	Vintage L Frame 76mm	✓	✓	✓	✓	-
S	Beaded L Frame 46mm	✓	✓	✓	✓	✓
LFRAMES	Beaded L Frame 60mm	✓	✓	<b>√</b>	✓	✓
5	Beaded L Frame 76mm	✓	<b>√</b>	<b>√</b>	✓	-
	Deep Plain L Frame 60mm	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
	Plain L Frame 46mm	<b>√</b>	<b>√</b>	<b>√</b>	✓	-
	Double Insert L Frame 50mm	✓	✓	-	-	-
	Double Insert L Frame 60mm	✓	✓	-	-	-
	Deep Bullnose Z Frame 38mm	<b>√</b>	✓	<b>√</b>	✓	<b>✓</b>
	Bullnose Z Frame 50mm	<b>√</b>	✓	<b>√</b>	<b>√</b>	-
Si	Bullnose Z Frame 50mm w/ 6mm Light Block (supplied w/ ball catches)	-	-	-	✓	-
Z FRAMES	Serrate Z Frame 50mm	✓	✓	<b>√</b>	✓	-
Z	Crown Z Frame 76mm	✓	✓	<b>√</b>	✓	<b>√</b>
	Tiara Z Frame 50mm	-	-	-	-	✓
	Bullnose Z Frame 38mm	-	-	-	-	<b>✓</b>

# **FRAMES**


		SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
DECO FRAMES	Camber Deco Frame 50mm (no insert in Hollywood)	<b>~</b>	<b>√</b>	<b>✓</b>	<b>~</b>	<b>✓</b>
	Chamfer T-post Deco 32mm	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
	Chamfer T-post 46mm	✓	✓	✓	✓	✓
	Chamfer T-post 60mm	✓	✓	✓	✓	-
	T-post with Insert 46mm	✓	<b>✓</b>	<b>✓</b>	<b>√</b>	-
OSTS)	T-post with Insert 60mm	✓	<b>√</b>	<b>√</b>	<b>√</b>	-
POST TYPES (BAY / CORNER / T-POSTS)	T-post with Insert 76mm	<b>√</b>	<b>✓</b>	<b>✓</b>	✓	-
CORNE	Beaded T-post Deco 32mm	-	-	-	-	<b>✓</b>
(BAY /	Beaded T-post 46mm		-	-	-	<b>✓</b>
r TYPES	Bay Post Deco 32mm	<b>√</b>	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>
POST	Bay Post	<b>√</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	Bay Post with Insert Deco (135 degrees only)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	-
	Bay Post with Insert (135 degrees only)	<b>√</b>	✓	✓	<b>√</b>	-
	Corner Post Deco (32mm)	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
	Corner Post	✓	✓	✓	✓	✓


## L FRAME DIMENSIONS






# **L FRAME DIMENSIONS**








22.2mm

DOUBLE INSERT L FRAME 50MM


**DOUBLE INSERT L FRAME 60MM** 


## **Z FRAME DIMENSIONS**



Please note that deep plain L Frame 60mm will be used as sill plate for deep bullnose Z Frame 38mm.

# **DECO FRAMES**






**CAMBER DECO SILL PLATE** 

### **POSTS**


	SEATTLE	GEORGIA	BOSTON	MONTANA	HOLLYWOOD
Corner Post	~	<b>√</b>	✓	✓	✓
Deco Corner Post	<b>✓</b>	✓	✓	✓	✓
Bay Post	✓	✓	✓	<b>√</b>	<b>✓</b>
Deco Bay Post	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
Bay Post with Insert	✓	<b>√</b>	✓	<b>√</b>	-
Deco Bay Post with Insert	<b>√</b>	✓	✓	<b>√</b>	-
Chamfer T-post	✓	<b>√</b>	✓	✓	✓
Deco Chamfer T-post	✓	<b>√</b>	✓	✓	<b>√</b>
Beaded T-post	✓	<b>√</b>	✓	✓	<b>✓</b>
Deco Beαded T-post	<b>√</b>	✓	✓	✓	✓
T-post with Insert	<b>√</b>	✓	<b>√</b>	<b>√</b>	-

<sup>\*</sup>NB Bay posts with Inserts are only available for 135 degree angle.


## **POSTS**




**BAY POST FOR DECO FRAME** 




**BAY POST FOR L/Z/HS FRAME** 




**CORNER POST FOR DECO FRAME** 



CORNER POST FOR L/Z/HS FRAME




**BAY POST WITH INSERT FOR DECO FRAME** 




BAY POST WITH INSERT FOR L/Z/HS FRAME


# **POSTS**




CHAMFER T POST (DECO)




CHAMFER T POST (L/Z/HS)



T-POST (DECO) 25MM




T-POST (L/Z/HS) 25MM




T-POST WITH INSERT 46MM


## **STILES - SEATTLE & GEORGIA**




41.3MM BEADED CHAMFER BUTT STILE




50.8MM BEADED CHAMFER BUTT STILE




57.2MM BEADED CHAMFER BUTT STILE




41.3MM BEADED CHAMFER RABBET STILE




50.8MM BEADED CHAMFER RABBET STILESTILE




57.2MM BEADED CHAMFER RABBET STILE



41.3MM BEADED CHAMFER ASTRAGAL STILE



50.8MM BEADED CHAMFER ASTRAGAL STILE



57.2MM BEADED CHAMFER ASTRAGAL STILE



## STILES - BOSTON / MONTANA






50.8mm

**50.8MM CHAMFER BUTT STILE** 

**50.8MM CHAMFER RABBET STILE** 

50.8mm



**50.8MM CHAMFER ASTRAGAL STILE** 

### **STILE POSITIONS**

Please note Butt Stile is only available for single panels. For panels that measure below 220mm – Rabbet Stile will be used so that the stile does not catch against the frame for smaller panels.

Please see below for stile positioning for both Rabbet and Astragal stiles:


### **RABBET STILE**

If choose Rabbet Stile on the order form, then the panels will be made like the following drawings.


1 PANEL: LOR R



3 PANEL: LLR/LRR



2 PANEL: LL/RR/LR




### **ASTRAGAL STILE**

If choose Astragal Stile on the order form, then the panels will be made like the following drawings.


1 PANEL: L OR R (BOTH SIDE TO BE BUTT STILE



4 PANEL: LLRR




6 panels or more will be more like the following, Astragal 2 PANEL: Stile is only used where 2 panels meet without hinges.





Please fill the panel configuration on the order form so that we can know where the hinges to be mounted.

3 PANEL:



### **BUILD OUTS**

Please note that when any build out ordered exceeds 51mm. This will not be attached and will be sent separately.

- For L Frames build out will be at the back of the L frame
- For Z frames build out will behind the Z frame lip
- For Deco frames the build out will be across the full width at the back of the frame
- For corner, bay and T-posts the build out will be at the back of the post across the full width at the back of the post

### **TOLERANCES**

#### **WIDTH**

The shutter width can be plus or minus 2mm from the order width.

#### **HEIGHT**

The shutter height can be plus or minus 2mm from the order height.

### MID RAIL LOCATION

Due to the louvre spacing, unless critical mid rail is selected, the mid rail position can vary by the tolerances stated opposite:

LOUVRE SIZE	MID RAIL TOLERANCE		
47mm	+ / - 19mm		
63mm	+ / - 26mm		
76mm	+ / - 32mm		
89mm	+ / - 38mm		
114mm	+ / - 51mm		

### **WARRANTY**

The below warranty terms are applicable to all products delivered by the Supplier (Custom West)

- The colour fastness is warrantied for 3 years
- Workmanship is warrantied for 3 years
- Hardware is warrantied for 1 year
- Stainless steel hardware is warrantied for 3 year

### **EXTENT OF LIABILITY**

The Supplier is responsible in full for maintaining the agreed quality of the products. The Supplier is responsible for the unrestricted quality assurance of the products, including the comprehensive testing of the products. The Supplier guarantees that the products are free from faults and that they comply with the agreed specifications and recognised technical standards.

### REPLACEMENT OF DEFECTIVE GOODS

If the product is deemed defective or of poor quality by the supplier then a remake of the product will be supplied at the original specification free of charge. Photographic evidence must be provided showing the issues that require a remake to be provided.



www.customwest.co.uk